9400220

Cninio Jechnology & Jechnique, Inc.

Walkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(8) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-YEARS FROM THE DATE OF THIS GRANT, SUBJECT eighteen CANT(S) FOR THE TERM OF TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-UDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ry therefrom, to the extent provided by the Plant Variety Protection Act. United States seed of this variety (1) shall be sold by variety name only as PF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'Symphony'

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Elaxt Variety Protection Office to be affixed

Washington, D.C. February at the City of

the year of our Lord one thousand nine

hundred and ninety-five.

Attost.

Agricultural Marketing Service

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION		Application is required in order to determine if a plant variety protection		
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (INSTRUCTIONS ON REVERSE)		certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).		
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2. TEMPORARY DESIGNATION	3. VARIETY NAME		
Tainio Technology & Technique, Inc.	OR EXPERIMENTAL NO. TV-10982-1	Symphony		
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	PHONE (include area code)	FOR OFFICIAL USE ONLY		
Rt 2 Box 286 S. 12102 Andrus Rd.	(509)747-5471	9400220		
Cheney, Washington 99004-9649		Date July 8, 1994		
6. GENUS AND SPECIES NAME 7. FAMILY NAME (E	Botanical)	N G A.M. P.M.		
Triticum aestivum L. Gramine	ae	F Filing and Examination Fee:		
8. CROP KIND NAME (Common Name)	9. DATE OF DETERMINATION	£ 2,325,00		
Wheat(common)	October 18,1990	S Date Date		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATIO	N (Corporation, partnership,	E Guly 8, 1994		
association, etc.) Corporation		Certificate Fee:		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. DATE OF INCORPORATION	v 2/3. 25		
Washington	1986	Date 1905		
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE		Jebruary 1, 1995		
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTITED AND ADDRESS OF THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VERIEW PROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTITED AND INSTITUTED ADDRESS OF THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE APPLICANT OF THE APPLICANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE APPLICANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE APPLICANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THIS VARIETY BE SOLD BY VER PLANT OF THE SEED OF THE	to Plant Variety Protection Office	• •		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE 17. IF LIMITED AS TO NUMBER OF GENERATIONS?	YES" TO ITEM 16, WHICH CLASSES OF PR	RODUCTION BEYOND BREEDER SEED?		
YES NO	☐ FOUNDATION ☐ REGISTER	ED 🗓 CERTIFIED		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? YES (If "YES," through Plant Variety Protection Act Patent Act. Give date:).				
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?				
YES, (If "YES," GIVE NAMES OF COUNTRIES AND DATES) NO				
20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be such regulations as may be applicable.	urnished with the application and will be r	eplenished upon request in accordance with		
The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.				
Applicant(s) is (are) informed that false representation herein can jeopardize protect	tion and result in penalties.			
SIGNATURE OF APPLICANT [Owner(s)] Tainio Technology & Technique, Inc.	CAPACITY OR TITLE	DATE		
Bruce Tainio	President	July 5, 1994		
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR TITLE	DATE		
CO 470				
SD-470 (06-93) Editions of Forms LS-470 (3/86) and CSSD-470 (5/89) are to b	e destroyed.	CONTINUED ON REVERSE		

Exhibit A - Origin and Breeding History Symphony

Symphony resulted from a five-way cross to combine resistance to diseases with good plant types and excellent winter hardiness.

Parentage - Avalon - a British variety
Breeder PBI, Cambridge

Armanda - a British variety
Breeder Nickerson RPB Ltd.

Hatton - a Washington State University 1979 release

Nk812 - a Northrup King variety

Rescler - a French variety Breeder I.N.R.A.

{[(Hatton x Armanda) F1 x Avalon] F1 x [Nk812]{F1 x {Rescler}}

The new variety was developed by the modified pedigree method of breeding with plant selections made in the F1, F2, F3 and F4 generations, with line selection in the F9 generation. In 1988 the F9 generation 62 of 100 plant perogeny rows were homozygous for plant character, head size, kernel size and color. These were then bulked to form breeder's seed. Breeder's seed in 1990 was in the F11 generation of selfing.

Test plots were planted in nurseries in 1990, 91 and 92. Breeders seed was advanced to 1000 pounds in 92 where observations indicate symphony is uniform and stable within commercially acceptable limits.

Exhibit B - Novelty Statement

To our knowledge, Symphony most nearly resembles Avalon and Hatton. Symphony compared to Avalon

- (1) Symphony is 20 cm taller than Avalon.
- (2) Symphony has larger seeds than Avalon.
- (3) Symphony will average 14+% protein were as avalon will only average 10%.
- (4) Symphony is resistant to stem rust, leaf rust and stripe rust, where as Avalon is not.
- (5) Symphony is 60% more winter hardy than Avalon.

Symphony compared to Hatton.

- (1) Symphony is only slightly awnletted where as Hatton is awned.
- (2) Symphony is resistant to stripe rust where as Hatton is susceptible.
- (3) Symphony will run an average protein level 3% to 4% higher than Hatton.
- (4) Symphony will average 25 to 30 cm shorter than Hatton.
- (5) Symphony averaged 27 bushel seed yield increase over Hatton in Field plot tests for the past three years.



EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE COMMODITIES SCIENTIFIC SUPPORT DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (TRITICUM SPP.)

INSTRUCTIONS: See Advance.	
NAME OF APPLICANTS	FOR OFFICIAL USE ONLY
Tainio. Technology & Technique, Inc. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Goda)	9400220
Rt 2 Box 286	VARIETY NAME ON TEMPORARY
S. 12102 Andrus Rd.	DESIGNATION
Cheney, Washington 99004-9649	Symphony
Place the appropriate number that describes the varietal character of this variety Place a zero in first box (e-s. 0 8 9 or 0 9) when number is either 99 or 1	in the boxes below.
1. KIND:	
1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT 5 = POLISH 6	= POULARO 7 = CLUB
2. TYPE,	
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify) 2 = HARI	
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
2 4 2 FIRST FLOWERING 2 5 5	LAST FLOWERING
4. MATURITY (50% Flowering):	
NO. OF DAYS EARLIER THAN 1 = ARI	THUR 2 = SCOUT 3 = CHRIS
1 5 NO. OF DAYS LATER THAN	HI 5 = NUGAINES 6 = LEEDS
S. PLANT HEIGHT (From sell level to top of head):	
0 9. 2 CM. HIGH	
1 7 CM. TALLER THAN	
	THUR 2 = SCOUT 3 = CHRIS
CM. SHORTER THAN	IHI 5 = NUGAINES 6 = LEEDS
PLANT COLOR AT BOOTING (See reverse): 7. ANTHER CO	LOR:
2 1 = YELLOW GREEN 2 = GREEN 3 = DLUE GREEN 1 1 = YELLO	OW 2*PURPLE
, STEM:	
2 Anthocyanin: 1 = ABSENT 2 = PRESENT 2 Waxy bloom	m: 1 = ABSENT 2 = PRESENT
Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT 1 Internodes	: 1 = HOLLOW 2 = SOLID
	NTERNODE LENGTH BETWEEN FLAG LEAF
AURICLES:	
1 Anthocyania: 1 = ABSENT 2 = PRESENT 1 Hairiness:	1 = ABSENT 2 = PRESENT
LEAF:	
Flag leaf at 1 = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify): 2 Flag leaf:	1 = NOT TWISTED 2 = TWISTED
	a of flag leaf sheath: 1 = ABSENT 2 = PRESENT
1 2 MM. LEAF WIDTH (First feel below flee lead) 2 0 CM. L	EAF LENGTH (First less below stag less):
RM I MGS 470-6 (R.89) (Formerly Form I PGS 470-6 (2-79) which may be used)	

4.86.第2.15 <u>第</u> .4.3.5				
11. HEAD: 1 Density: 1 = LAX	2 = DENSE	Shape: 1 = TAPE		
Density. 1-2xx	2 - Dense	4 = OTHE	R (Specily)	
2 Awnedness: 1 = Aw	NLESS 2 = APICALLY AWNLETED	3 = AWNLETED 4 = AWNE	EO	
Color at maturity: 5	= WHITE 2 = YELLOW 3 = PINK 4 = BROWN 6 = BLACK 7 = OTH	ER (Specily):	to the same	
1 3 CM. LENGTH		1 5 MM. WIDTH		
	TY: (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) (CA. 9 mm.)		₩ (CA. 3 mm.) 2 = MEDIUM (CA. 3.5 mm.) CA. 4 mm.)	
Shoulder 1 = WANT shape: 4 = SQUA	ING 2 = OBLIQUE 3 = ROUNDED RE 5 = ELEVATED 6 = APICULATE	3 Beak: 1 = OBTUSE	2 = ACUTE 3 = ACUMINATE	
13. COLEOPTILE COLOR	le .	14. SEEDLING ANTHOC	(ANIN:	
1 1 = WHITE 2 = R	ED 3 = PURPLE	1 1 = ABSENT	2 = PRESENT	
15. JUVENILE PLANT GR	OWTH HABIT:			
2 1 = PROSTRATE	2 = SEMI-ERECT 3 = ERE	ст		
16. SEED:				
3 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUND	ED 2 = ANGULAR	
2 Brush: 1 = SHORT	2 = MEDIUM 3 = LONG	1 Brush: 1 = NOT C	OLLARED 2 = COLLARED	
Phenol reaction (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BROWN 5 = BLACK	VN.	•	
3 Color: 1 = WHITE	2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specify)		
0 8 MM. LENGTH	0 4 MM. WIDTH	3 9 GM. PER 1000	SEEDS	
17. SEED CREASE:				
1 - 1	LESS OF KERNEL 'WINOKA'	1 2 1	R LESS OF KERNEL 'SCOUT'	
	ESS OF KERNEL 'CHRIS' AS WIDE AS KERNEL 'LEMHI'		R LESS OF KERNEL 'CHRIS' R LESS OF KERNEL 'LEMHI'	
18. DISEASE: (0 = Not Tes	ted, 1 = Susceptible, 2 = Resistant)			
2 STEM RUST All	2 LEAF RUST All	2 STRIPE RUST AL	L 2 LOOSE SMUT	
0 POWDERY MILDEW	2 BUNT	OTHER (Specify)		
19. INSECT: (0 = Not Toan	od, 1 = Susceptible, 2 = Resistant)			
0 SAWFLY	0 APHID (Bydv.)	0 GREEN BUG	O CEREAL LEAF BEETLE	
OTHER (Specity)	HESSIAN FLY	GP A	В С	
·	RACES:	D	F G	
20. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED:				
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY	
Plant tillering	Hatton	Seed size	Avalon	
Leaf size Leaf color	<u> Hatton</u>	Seed shape	Avalon	
Leaf carriage	Hatton Hatton	Coleoptile elongation Seedling pigmentation	<u>Hatton</u> Avalon	
	1 11444011	* Account Aidulettinuoji	M V U Z O VI	

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysis. (See attachment.)

Exhibit D - Additional Description of Symphony

Symphony is a common hard red winter wheat, Triticum aestivum L.

Symphony is similar to Hatton in flowering date.

Symphony has averaged 92 cm (36.2 inches) in height in Eastern Washington.

At booting the plant color is dark green, in comparison to most area grown soft white winter wheat.

Anther color of Symphony is yellow.

Anthocyanin is present in the stem of Symphony only from early drying stage of maturity. A moderate waxy bloom occurs on the stem and flag leaf sheath. Stems are strong and yellow with some anthocyanin at maturity.

The auricles are glabous and anthocyanin is absent.

Leaves are dark green on the plants through booting and turn blue green after head emergence. The flag leaves are generally slightly twisted. Hairs are absent on the first leaf sheath. A moderate level of waxy bloom occurs on the last leaf sheath.

Spikes are dense, strap, apically awnletted, yellow and generally upright at maturity. The longest awnlet per spike of Symphony ranges from 1 to 3 cm. Spike width and length are variable with production level and population averaging 13 cm in length and 15 mm wide.

The glumes of Symphony are long and wide. Shoulders are rounded. Beaks are acuminate.

Coleoptile color of symphony is white.

Seedling anthocyanin is absent.

Kernels are red in color and elliptical in shape, with rounded cheeks and a wide shallow crease. The brush is medium in size. Kernels average 8 mm long and 4 mm wide and about 39 grams per 1000.

Symphony has been highly resistant to all races of stem rust, leaf rust and stripe rust, occurring in Eastern Washington.

Symphony has been showing excellent resistance to loose smut and bunt.

Symphony is tolerant to powdery mildew and is susceptible to Cephalosporium stripe.

Symphony has not been checked for insect resistance.

Symphony has excellent straw strength with large to very large head or spike size.

Symphony has an excellent protein potential averaging 14+ % over three years of testing and grown under low to moderate nitrogen fertility levels, verses Hatton at 10% protein under the same conditions.

Symphony has an excellent rooting character and is very winter hardy comparable to Daws soft white winter wheat.

Exhibit E - Statement of the basis of applicant's ownership.

Symphony was originated and developed by Bruce Tainio the Plant Breeder for Tainio Technology & Technique, Inc. All rights to any invention, discovery or development made by an employee are assigned to the company.

No rights to such invention, discovery or development are retained by the employee.

